Seite I von 2

Curable composition

FR200003237 (A2) JP2001200200 (A) US6437045 (B1) CA2325271 (A1) EP1099730 (B1) Also published as: more >> RICKERT CHRISTOPH (CH); TURPIN FRANCOIS (FR); C07D303/40; C07D407/14R; C07D493/10; C08G59/24; FRANCOIS JACQUES (FR); TENA MIREILLE (CH) C09D5/03; C09D167/00; C09D133/06; C08G65/32 C08G59/32C; C09D133/06B2; C09D167/00 VANTICO AG (CH) 2001-05-16 EP1099730 Publication date: Patent number: - international: Classification: - european: **Applicant: Inventor:**

Report a data error here

XP002155774

SU1792956

WO9414906

Cited documents:

Application number: EP20000811039 20001106 Priority number(s): CH19990002056 19991110

US5770268

Abstract of EP1099730

independent claim is included for a process for the production of compounds of formula (1) where (A) is of groups; E = a 2x valent organic group derived from a polyol having at least 2x hydroxyl groups by removal mixture and epoxidation of the carbon-carbon double bonds of the resulting ester product. B = an x valent organic group derived from a polyol compound with at least x hydroxyl groups by removal of the hydroxyl R<2>,R<3>,R<4>,Ř<6>,R<7>,R<8>,R<9> = H, halogen, 1-4C alkyl or alkoxy; x x = >= 3; y,z = (x-1)-(x-y) of 2x hydroxyl groups; D = a(y+2z) valent group, derived from a polyol having at least (y+2z) by removal of (y+2z) hydroxyl groups; R<1>,R<5> = H, halogen, 1-4C alkyl or alkoxy or together a methylene group; A powder paint composition comprises a binding agent, preferably a carboxyl group containing polyester composition (I) comprises a binding agent, preferably a carboxyl group containing polyester and/or poly and/or poly(meth)acrylate and one or more epoxy resins that are solid at 25 degrees C. A powder paint ormula (3), (B) is an x-valent organic group, derived from a hydroxyl compound with at least x hydroxyl groups where x is at least one, by trans-esterification of a cyclohexene-3-carboxylic acid ester with an alcohol of formula B(OH)x in the presence of LiNH2 with removal of the byproduct alcohol from the (meth)acrylate and one or more epoxy resins that are solid at 25 degrees C and of formula (1). An

Family list

20 family members for:

EP1099730

Derived from 18 applications.

HÄRTBARE ZUSAMMENSETZUNG

Publication info: AT248898T T - 2003-09-15

Curable composition

Publication info: AU6970200 A - 2001-05-17

Powder coating of carboxyl polyester or (poly)methacrylate and cycloaliphatic polyepoxide

Publication info: BR0005328 A - 2001-06-12

CURABLE COMPOSITION

Publication info: CA2325271 A1 - 2001-05-10

Solidifiable compositions

Publication info: CN1296047 A - 2001-05-23

Powder coating of carboxyl polyester or (poly)methacrylate and cycloaliphatic polyepoxide

Publication info: **DE50003515D D1** - 2003-10-09

Curable composition

Publication info: EP1099730 A1 - 2001-05-16 EP1099730 B1 - 2003-09-03

Powder coating of carboxyl polyester or (poly)methacrylate and cycloaliphatic polyepoxide

Publication Info: ES2204486T T3 - 2004-05-01

CURABLE COMPOSITIONS

Publication Info: HU0004455 A2 - 2001-06-28

HU0004455D D0 - 2001-01-29

CURABLE COMPOSITION 10

Publication info: JP2001200200 A - 2001-07-24

CURABLE COMPOSITION 1

Publication info: MXPA00011038 A - 2003-06-06

HARDENABLE COMPOSITIONS 12

Publication info: PL343719 A1 - 2001-05-21

COMPOSICAO ENDURECIVEL

Publication Info: PT1099730T T - 2004-01-30

14 Powder coating of carboxyl polyester or (poly)methacrylate and cycloaliphatic polyepoxide

Publication Info: TR200003237 A2 - 2001-07-23

15 Powder coating of carboxyl polyester or (poly)methacrylate and cycloaliphatic polyepoxide

Publication info: TR200302079T 74 - 2004-01-21

16 Powder coating compositions based on epoxy compounds and a process for preparing an epoxy compound Publication Info: TW515829 B - 2003-01-01

17 Powder coating of carboxyl polyester or (poly)methacrylate and cycloaliphatic polyepoxide

Publication Info: US6437045 B1 - 2002-08-20

18 Curable composition Publication info: US2003149193 A1 - 2003-08-07

Data supplied from the esp@cenet database - Worldwide